


محصولات صنعتی

Industrial Products



2025
CATALOGUE

DVMP Series Axial Flow Fan, Diecast Aluminum Impeller

Frame material : Steel with electrostatic paint coating
Impeller material: Diecast Aluminum
Direction of rotation: Counterclockwise, seen on impeller
Fan ingress protection: IP55
Insulation class: F
Mode of operation: Continuous operation
Fan application: Supply and extract ventilation installed in various premises, like Industrial and Commercial spaces , mechrums , parking and warehouse



هواکش صنعتی آکسیال (پروانه دایکست آلومینیوم)

DVMP Series Axial Flow Fan

هواکش صنعتی آکسیال

پروانه دایکست آلومینیوم سری DVMP

جنس بدنه : فولاد با پوشش رنگ الکترو استاتیک

جنس پروانه : دایکست آلومینیوم

جهت چرخش : پاد ساعتگرد از سمت پروانه


درجه حفاظت فن : IP55

کلاس عایق بندی موتور : F

نوع عملکرد موتور : دائم کار

کاربرد فن : تهویه فضاهای مختلف مانند فضاهای صنعتی و

تجاری ، موتورخانه ، پارکینگ و انبار



Model	A	B	C	D	E	F	G	I
DVMP - 500	600	600	480	510	115	250	525	8
DVMP - 600	730	730	580	600	130	245	620	8
DVMP - 710	850	850	690	710	145	325	745	12
DVMP - 800	970	970	780	805	155	320	910	16
DVMP - 900	1090	1090	880	905	155	340	1010	14

ابعاد برحسب میلیمتر ارائه شده است .

تمامی اعداد ارائه شده مربوط به حالت آزاد (Free Delivery) کارکرد فن هستند .

NO	Model	Fan Diameter (mm)	Voltage (V)	Current (A)	Power (W)	Speed (rpm)	Air flow (m3/h)	IP	Weight (Kg)	Sound Pressure Level* (dBA)
1	DVMP-DN60- 4T-500	500	380	2	1000	1370	8400	55	23	78
2	DVMP-DN90- 4T-600	600	380	2.4	1250	1390	13750	55	30	81
3	DVMP-KN70- 4T-710	710	380	3.7	1980	1430	20700	55	43	86
4	DVMP-KN100- 4T-800	800	380	5.8	3250	1430	29000	55	51	92
5	DVMP-KN140- 4T-900	900	380	8.3	4400	1440	35100	55	59	96

* صدای محصول در فاصله معادل سه برابر قطر محصول (حداقل ۱/۵ متر) اندازه گیری شده است.

